

VISA



 **Jet Stream** 

VISA

COOL IM POOL

COOL IN THE POOL

VISA ÜBERZEUGT NICHT NUR
MIT DESIGN UND LICHTEFFEKTEN.

- Hochwertige Gegenstromanlage aus Hochleistungskunststoff (ABS)
- Edles, zweifarbiges Design: außen silber gebürstet, innen schwarz
- Kompakte Bauform
- Integrierter beleuchteter PIEZO Taster
- Integrierte Ansaugung
- Leistung: 65 m³/h
- Volumenregulierung über die Schwenkdüse
- Zuschaltbare Luftbeimischung auf PIEZO-Knopfdruck
- Wanddurchführung in ABS
- Für alle Beckentypen geeignet
- Frontblende: 410 x 345 x 65,5 mm

VISA CONVINCES NOT ONLY
WITH DESIGN AND LIGHTING EFFECTS.

- High-grade countercurrent system made of high quality plastic (ABS)
- Noble bicolored design: outside silver brushed, inside black
- Compact form of structure
- Integrated, illuminated PIEZO switch
- Integrated suction
- Water flow rate: 65 m³/h
- Swivel nozzle with fully adjustable flow
- Shiftable air bubble bath by touching the PIEZO switch
- Wall fitting in ABS
- Convenient with all kinds of pools
- Front plate: 410 x 345 x 65,5 mm



Der beleuchtete PIEZO Taster rückt Ihren Pool
in stimmungsvolles Licht. The illuminated PIEZO switch
creates lighting effects for a special pool ambience.



TECHNISCHE DATEN TECHNICAL DATA

Material Frontblende: ABS silber gebürstet/schwarz, Düsenblende: 410 x 345 x 65 mm, PIEZO Taster 7 m, optional 20 m, Leistungsaufnahme: 3,5 kW 3~/400 V bzw. 3 kW 1~/230 V, Volumenstrom: 65 m³/h bzw. 56 m³/h;
front plate material: ABS silver brushed/black; front plate size: 410 x 345 x 65 mm; PIEZO switch 7 m, optional 20 m, power consumption: 3,5 kW 3~/400 V or 3,2 kW 1~/230 V, water flow rate: 65 m³/h or 56 m³/h

ROHBAUTEILE WALL FITTINGS

ARTIKELNUMMER ARTICLE NUMBER

VISA Rohbauteilset ABS VISA Wall-Fitting set ABS

2001 625

FERTIGMONTAGE SUPPLEMENTARY PARTS

VISA Fertigbauteil 3,2 kW 1~/230V VISA Supplementary parts 3,2 kW 1~/230 V

2001 685

VISA Fertigbauteil 3,5 kW 3~/400V VISA Supplementary parts 3,5 kW 3~/400 V

2001 627

EINBAUMASSE INSTALLATION DIMENSIONS

